

# Spa Range

## BWS Lid - Wide spout for BFC250/BFH250

Long Life Re-usable Drinking Beaker for use in Nursing, Rehabilitation, Elderly Care, and Community Care



The Spa Range is a range of re-usable living aids designed for use in Hospital Wards, Nursing and Care Homes, Rehabilitation and Personal Use at home.

Our Spa Range is an attractive, stylish and functional group of products which includes drinking cups, beakers, jugs, vomit bowls, medicine cups, urinals, bedpans and commodes.



### Product Benefits

- Lightweight, strong and durable.
- Lid compatible with BFC250 and BFH250 drinking cups.
- Cups must be ordered separately.
- Can be used for hot and cold liquids.
- Wide spout makes it ideal for soups and thicker liquids.
- Includes a vent hole which helps in cooling hot drinks and controls liquid flow.

### Product Specification

- Wide Spout Lid for BFC250 and BFH250 drinking cups
- 13mm x 8mm Spout
- Pack Size 300
- The following standards are applicable:
  - **ISO 9001:2008**  
Quality Management System
  - **ISO 13485:2003**  
Medical Devices - Quality Management System
- Manufactured from high quality Polypropylene

### Guide to Using Spa Products from Warwick SASCo

#### Usage

- For use with hot and cold liquids.
- Do not overfill with liquids - ensure there is a sufficient gap between liquids and vent hole in lid.
- Place lid firmly onto beaker, ensuring the spout centre is central to the beaker.

#### Cleaning

- Product should be washed before first use. Wash in hot water with detergents and disinfectants and allow to dry naturally.
- After use wash in hot water using detergents and disinfectants.
- Spa Products are designed for repeated use - guaranteed for 1000 washes.
- Scouring and abrasive cleaners will reduce the performance of products.

#### Storage

- This product has a shelf life of 36 months from date of manufacture providing the recommended storage conditions are adhered to.
- Product should be stored in its primary packaging, off the floor on a pallet or shelf, and in a clean dry ventilated room at a temperature of 4 °C - 25 °C.