

MB2318/MB2318G Transportation Box - Orange/Green transportation box with hinged lid

Non-Sterile Medical Box for containing Sterile and Non-Sterile Equipment during Transportation



The Warwick Range of polypropylene products from Warwick SASCo was originally designed to offer an alternative to stainless steel products traditionally used in Hospitals.

This Range is now widely used in Sterile Services and Decontamination Units, Operating Rooms and Clinics due to its low cost, effective product design, and repeat performance results in hospital autoclaves.

Easily recognised by its distinct blue colour, the Warwick Range includes bowls, gallipots, kidney dishes, instrument trays, instrument protection, instrument boxes, traceability tags, measuring jugs, scope and instrument soaking containers.



Product Benefits

- Use to safely and securely store and transport instruments and equipment from disinfection area to clinical area or to transport used instruments back to disinfection area.
- Lightweight, strong and durable - 50% lighter than stainless steel.
- Can be used to transport both sterile and non-sterile equipment.
- Designed to withstand high impact - will not dent, rust or stain.
- Closing latch for secure locking with padlock - padlock available to order separately.
- Available in orange (MB2318) or green (MG2318G)

Product Specification

- Transportation Box with hinged lid and closing latch for padlock
- 230mm x 180mm x 200mm
- Pack Size 10
- Complies with following Standards:
 - **ISO 9001:2008**
Quality Management System
 - **ISO 13485:2003**
Medical Devices - Quality Management System
 - **ISO 17664:2004**
Sterilization of Medical Devices - Guidelines for the processing of re-sterilizable medical devices
- Not suitable for autoclave use

Guide to Using Warwick Products from Warwick SASCo

Cleaning

- Product should be washed before first use.
- Maximum temperature for processing 90°C
- Warwick products are designed for a lengthy service. Scouring and abrasive cleaners will reduce the performance of products.
- Product should be processed complying with requirements of ISO17664.

Storage

- This product has a shelf life of 36 months from date of manufacture providing the recommended storage conditions are adhered to.
- Product should be stored in its primary packaging, off the floor on a pallet or shelf, and in a clean dry ventilated room at a temperature of 4 °C - 25°C.